UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/732,726	12/10/2003	William T. Ball	5564-152	2017
22442 SHERIDAN RO	7590 08/20/200 DSS PC	EXAMINER		
1560 BROADWAY SUITE 1200 DENVER, CO 80202			FETSUGA, ROBERT M	
			ART UNIT	PAPER NUMBER
			3751	
			MAIL DATE	DELIVERY MODE
			08/20/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./	FILING DATE	FIRST NAMED INVENTOR /	ATTORNEY DOCKET NO.
CONTROL NO.		PATENT IN REEXAMINATION	

10732726 12/10/2003 BALL, WILLIAM T. 5564-152

SHERIDAN ROSS PC 1560 BROADWAY SUITE 1200 DENVER, CO 80202 EXAMINER

Robert M., Fetsuga

ART UNIT PAPER

3751 20080804

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

SUPPLEMENTAL EXAMINER"S ANSWER

The Reply Brief filed July 30, 2008 presents an argument at pages 5-6 thereof that the examiner should have questioned appellant's filing date benefit claim earlier in prosecution. However, the Oropallo reference was first cited against the claims in this CIP application in the Office action mailed October 24, 2005 (note paragraph "8"). Appellant did not attempt to rely upon a filing date benefit based upon application 09/593,724 until a Reply Brief was filed March 17, 2008. An examiner is not required to critique a CIP application for compliance with the disclosure requirement. See MPEP 201.08. Lastly, the "Petition to Revive" included with the instant reply brief appears improper at this stage of prosecution.

/KAREN M. YOUNG/ Director, Technology Center 3700 /Robert M. Fetsuga/ Primary Examiner, Art Unit 3751